2019 CMS QRDA I IG UPDATES November 2019

Shanna Hartman Division of Electronic and Clinician Quality, CMS

Yan Heras Healthcare IT and Life Sciences Data Management Solutions Contractor ESAC, Inc.



2019 CMS QRDA I IG UPDATES

- The Centers for Medicare & Medicaid Services (CMS) has republished the CMS QRDA Category I IG for the 2019 reporting period reporting with these updates:
 - $\circ\,$ Guidance on Reason Template placement
 - Emphasized the change to not include value set Object Identifiers (OIDs)
- The CMS QRDA I IG outlines requirements for eligible hospitals and CAHs reporting electronic clinical quality measures (eCQMs) for the:
 - Hospital Inpatient Quality Reporting (IQR) Program
 - Medicare and Medicaid Promoting Interoperability Programs for Eligible Hospitals and CAHs



2019 CMS QRDA I IG UPDATES - GUIDANCE ON THE REASON TEMPLATE PLACEMENT

- The 2019 QRDA I IG includes a new appendix in section 9, "Guidance for Reason Template Placement When Specifying 'Not Done' with a Reason"
- Provides detailed guidance for the placement of a Reason Template when used with any negated Quality Data Model (QDM) data element, such as "Medication, Not Discharged"



2019 CMS QRDA I IG UPDATES - GUIDANCE ON NOT REPORTING VALUE SET OIDS

- The base standard for the 2019 reporting period, the <u>Health Level Seven International</u> (HL7) QRDA I IG Standard for Trial Use (STU) Release 5, removed the SHALL
 @sdtc:valueSet requirement for providing value set OIDs
- It is important to implement this change and to ensure value set OIDs for QDM data elements and coded QDM attributes are not included in QRDA I files when reporting for the 2019 reporting period
- Including value set OIDs may lead to unexpected measure results
- **Note:** Value set OIDs should ONLY be used to report negation of QDM data elements



2019 CMS QRDA I IG SAMPLE FILE

 The 2019 CMS QRDA I Sample File has also been updated to clarify the Reason Template and Value Set OID guidance



REFERENCES AND RESOURCES

- The <u>Base HL7 QRDA IG</u> includes a section that describes the change in Volume 1, Section 6 Quality Data Model-Based QRDA, 6.1 Introduction. All conformance statements that require sdtc:valueSet were removed from Volume 2 templates
- View the webinar presentation titled <u>"CMS QRDA Category I IG Changes for Calendar</u> <u>Year 2019 HQR</u>" for more details on changes from the 2018 QRDA I IG
- Additional QRDA-related resources, as well as current and past implementation guides, are found on the <u>Electronic Clinical Quality Improvement (eCQI) Resource Center QRDA</u> <u>page</u>
- For questions related to this guidance, the QRDA IGs or Schematrons, visit the <u>ONC</u> <u>Project Tracking System (Jira) QRDA project</u>

