


2022 eCQM Flow
eCQM Identifier: CMS145v10
NQF Number: 0070e

NOTE: This flow diagram represents an overview of population criteria requirements. **Refer to the eCQM specification for a complete list of data elements included in this measure and required for submission.**

Coronary Artery Disease (CAD): Beta-Blocker Therapy-Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF <40%)


Percentage of patients aged 18 years and older with a diagnosis of coronary artery disease seen within a 12-month period who also have a prior MI or a current or prior LVEF <40% who were prescribed beta-blocker therapy

This eCQM is a patient-based measure




2022 eCQM Flow
eCQM Identifier: CMS145v10
NQF Number: 0070e

Coronary Artery Disease (CAD): Beta-Blocker
Therapy-Prior Myocardial Infarction (MI) or
Left Ventricular Systolic Dysfunction (LVEF <40%)




2022 eCQM Flow
eCQM Identifier: CMS145v10
NQF Number: 0070e

Coronary Artery Disease (CAD): Beta-Blocker
Therapy-Prior Myocardial Infarction (MI) or
Left Ventricular Systolic Dysfunction (LVEF <40%)



2022 eCQM Flow
eCQM Identifier: CMS145v10
NQF Number: 0070e

Coronary Artery Disease (CAD): Beta-Blocker
Therapy-Prior Myocardial Infarction (MI) or
Left Ventricular Systolic Dysfunction (LVEF <40%)



Sample Calculation

Performance Rate* (Population 1 and 2) =

$$\frac{\text{Numerator (a}^1 + \text{a}^2 = 50 \text{ patients)}}{\text{Denominator (b}^1 + \text{b}^2 = 100 \text{ patients) - Denominator Exceptions (c}^1 + \text{c}^2 = 20 \text{ patients)}} = \frac{50}{80} = 63\%$$

*This eCQM is intended to have one performance rate

eCQM Identifier: CMS145v10

NQF: 0070e

eCQM Title: Coronary Artery Disease (CAD): Beta-Blocker Therapy-Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF <40%)

NOTE: This flow diagram represents an overview of population criteria requirements. Refer to the eCQM specification for a complete list of data elements included in this measure and required for submission.

Description Percentage of patients aged 18 years and older with a diagnosis of coronary artery disease seen within a 12-month period who also have a prior MI or a current or prior LVEF <40% who were prescribed beta-blocker therapy.

This eCQM is a patient-based measure.

eCQM Flow Narrative

Initial Population 1

Start by identifying the Initial Population 1, which includes patients 18 years of age and older with two or more eligible encounters during the measurement and either a diagnosis of coronary artery disease that overlaps an eligible encounter or cardiac surgery before end of an eligible encounter.

Denominator 1

The Denominator 1 criteria further constrain the Initial Population 1 to patients with current or prior moderate or severe LVSD (e.g., LVEF less than 40 percent or diagnosis of moderate or severe LVSD). In the sample calculation provided at the end of the eCQM flow, Denominator 1 is equal to 50 patients.

Numerator 1

The Numerator 1 criteria identify a subset of the Denominator 1 population by including patients who were ordered beta-blocker therapy during an eligible encounter or patients who were actively taking beta-blocker therapy through the end of an eligible encounter. In the sample calculation provided at the end of the eCQM flow, Numerator 1 is equal to 25 patients.

Denominator Exceptions 1

The Denominator Exceptions 1 criteria identify patients from the Denominator 1 that did not meet the Numerator 1 population criteria due to documentation of a medical reason(s), patient reason(s) or system reason(s) for not ordering beta-blocker therapy. In the sample calculation provided at the end of the eCQM flow, the Denominator Exceptions 1 are equal to 10 patients.

Initial Population 2

Start by identifying the Initial Population 2, which includes patients 18 years of age and older with two or more eligible encounters during the measurement and either a diagnosis of coronary artery disease that overlaps an eligible encounter or cardiac surgery before end of an encounter.

Denominator 2

The Denominator 2 criteria further constrain the Initial Population 2 to patients with myocardial infarction (3 years or less before an eligible encounter). In the sample calculation provided at the end of the eCQM flow, Denominator 2 is equal to 50 patients.

Numerator 2

The Numerator 2 criteria identify a subset of the Denominator 2 population by including patients who were ordered beta-blocker therapy during an eligible encounter or patients who were actively taking beta-blocker therapy through the end of an eligible encounter. In the sample calculation provided at the end of the eCQM flow, Numerator 2 is equal to 25 patients.

Denominator Exceptions 2

The Denominator Exceptions 2 criteria identify patients from the Denominator 2 that did not meet the Numerator 2 population criteria due to documentation of a medical reason(s), patient reason(s), or system reason(s) for not ordering beta-blocker therapy. In the sample calculation provided at the end of the eCQM flow, the Denominator Exceptions 2 are equal to 10 patients.

Sample Calculation

A sample calculation is provided to help determine how the measure performance rate is derived. The measure performance rate is calculated by summing Numerator 1 and Numerator 2 (total equals 50 patients) then dividing by the difference between the sum of Denominator 1 and Denominator 2 (total equals 100 patients) and the sum of Denominator Exceptions 1 and Denominator Exceptions 2 (total equals 20 patients), which is equal to a score of 63 percent.