

Exploring FHIR to Reduce Burden for Quality Measurement

April 14, 2020

Sam Sayer

Interoperability Program Manager, MITRE

Floyd Eisenberg, MD MPH

Senior Advisor, Standards, ESAC



DISCLAIMER: The views, opinions and images expressed in this presentation are those of the author and do not necessarily represent official policy or position of HIMSS.

©2020 The MITRE Corporation. Approved for Public Release; Distribution Unlimited, Case Number 200238

® Health Level Seven and HL7 are registered trademarks of Health Level Seven International, registered with the United States Patent and Trademark Office.

Meet Our Speakers



Sam Sayer

*Interoperability Program Manager
MITRE*



Floyd Eisenberg

*Senior Advisor, Standards
ESAC*

Conflict of Interest

Samuel Sayer

Has no real or apparent conflicts of interest to report.

Conflict of Interest

Floyd Eisenberg

Has no real or apparent conflicts of interest to report.

Agenda

- Introduction
- Overview of eCQM FHIR standards
- Interactive Discussion

Learning Objectives

- Identify mechanisms for expressing clinical data based on its original source to avoid duplicate data entry for quality measurement
- Describe reasons for data-driven clinical burden associated with eCQMs
- Discuss tools and resources available to find information about and provide input on eCQM expressions
- Describe how FHIR may help improve data retrieval and reporting for electronic quality measurement
- List at least three factors to consider to successfully implement an eCQM

Background

- MITRE delivered an electronic clinical quality measure (eCQM) strategy report to CMS with recommendations on increasing value and reducing burden of quality reporting.
- ESAC is leading work to harmonize eCQM standards and clinical decision support (CDS)
- ESAC and MITRE work together to develop technical architecture to support quality improvement

Success factors to consider when implementing eCQMs

- Select measures that align with your institution's quality initiatives and is supported by your patient populations
- Evaluate clinical workflow – consider workflow for complex data concepts
- Address terminology – mapping eCQM value sets to local terms
- Understand Clinical Quality Language (CQL) – decoding eCQM expressions

Findings

- QRDA format has matured, and vendors are now generally able to validate documents
 - Some quality programs (e.g. QPP) have moved away from QRDA and are using non-industry standard formats.
- QRDA relies on the Quality Data Model (QDM), which is only used for quality reporting
 - Issues remain ensuring EHR data correctly maps to QRDA.
- Submitters request real-time feedback on quality data submissions to increase value of quality reporting
 - FHIR® can improve the ability for receiving systems to meet this request.

Acronyms: FHIR – HL7® Fast Health Interoperability Resources
QPP – CMS Quality Payment Program
QRDA – Quality Reporting Document Architecture

FHIR

- The Health IT industry is rapidly adopting HL7® Fast Health Interoperability Resources® (FHIR)
 - Many vendors have implemented Argonaut/US Core specifications
 - APIs remove manual step of submitting data through a website
 - Integration of clinical quality reporting with Health IT systems
 - FHIR is being included in health policy rules
- CMS Center for Clinical Standards and Quality (CCSQ) has begun exploring the use of HL7 FHIR for electronic clinical quality data and reporting

QI-Core

- Quality Improvement focused implementation guide for FHIR, focused on data elements used in electronic clinical quality measures and clinical decision support. QI-Core provides a comprehensive list of resources (clinical data) to allow eCQMs and Clinical Decision Support (CDS) to express criteria for clinical care examples and use cases.
- Aligns with US Core where possible (e.g. Encounters)
 - Profiles FHIR where US Core doesn't specify (e.g. CommunicationRequest)
- Includes mappings from QDM to enable transition of existing quality measures
 - QDM has evolved to align with FHIR and QI-Core
- Adds additional constraints and extensions commonly used in measures
 - Value set additions
 - Negation Rationale
 - New profiles for authoring eCQMs/CDS

QI-Core Content

QI-Core Profile	USCore Profile	Base Resource	QI-Core Profile	USCore Profile	Base Resource
QICoreAdverseEvent		AdverseEvent	QICoreMedicationAdministration		MedicationAdministration
QICoreAllergyIntolerance	USCoreAllergyIntolerance	AllergyIntolerance	QICoreMedicationAdministrationNotDone		MedicationAdministration
QICoreBodyStructure		BodyStructure	QICoreMedicationDispense		MedicationDispense
QICoreCarePlan	USCoreCarePlan	CarePlan	QICoreMedicationDispenseNotDone		MedicationDispense
QICoreCareTeam	USCoreCareTeam	CareTeam	QICoreMedicationNotRequested		MedicationRequest
QICoreClaim		Claim	QICoreMedicationRequest	USCoreMedicationRequest	MedicationRequest
QICoreCommunication		Communication	QICoreMedicationStatement		MedicationStatement
QICoreCommunicationNotDone		Communication	QICoreNutritionOrder		NutritionOrder
QICoreCommunicationRequest		CommunicationRequest	QICoreObservation		Observation
QICoreCondition	USCoreCondition	Condition	QICoreObservationNotDone		Observation
QICoreCoverage		Coverage		FHIR Vital Signs	Observation
QICoreDevice		Device		USCore Smoking Status	Observation
QICoreDeviceNotRequested		DeviceRequest		USCore Laboratory Result	Observation
QICoreDeviceRequest		DeviceRequest		USCore Pediatric BMI for Age	Observation
QICoreDeviceUseStatement		DeviceUseStatement		USCore Pediatric Weight for Height	Observation
QICoreDiagnosticReportLab	USCoreDiagnosticReportLab	DiagnosticReport		USCore Pulse Oximetry	Observation
QICoreDiagnosticReportNote	USCoreDiagnosticReportNote	DiagnosticReport	QICoreOrganization	USCoreOrganization	Organization
QICoreEncounter	USCoreEncounter	Encounter	QICorePatient	USCorePatient	Patient
QICoreFamilyMemberHistory		FamilyMemberHistory	QICorePractitioner	USCorePractitioner	Practitioner
QICoreFlag		Flag	QICorePractitionerRole	USCorePractitionerRole	PractitionerRole
QICoreGoal	USCoreGoal	Goal	QICoreProcedure	USCoreProcedure	Procedure
QICoreImagingStudy		ImagingStudy	QICoreProcedureNotDone		Procedure
QICoreImmunization	USCoreImmunization	Immunization	QICoreRelatedPerson		RelatedPerson
QICoreImmunizationEvaluation		ImmunizationEvaluation	QICoreServiceNotRequested		ServiceRequest
QICoreImmunizationNotDone		Immunization	QICoreServiceRequest		ServiceRequest
QICoreImmunizationRecommendation		ImmunizationRecommendation	QICoreSpecimen		Specimen
	USCoreImplantableDevice	Device	QICoreSubstance		Substance
QICoreLocation	USCoreLocation	Location	QICoreTask		Task
QICoreMedication	USCoreMedication	Medication			

QI-Core Example:

Medication

Administration: QDM

Encounter with Antithrombotic Therapy

"Ischemic Stroke Encounter" IschemicStrokeEncounter

with ["Medication, Administered": "Antithrombotic Therapy"]
Antithrombotic

such that Antithrombotic.relevantPeriod starts 1 day or less on
or after day of start of Global."Hospitalization"(IschemicStrokeEncounter)

Medication

Administration: QI-Core

"Encounter with Thrombolytic Therapy Medication or Procedures":

TJC."Ischemic Stroke Encounter" IschemicStrokeEncounter

with "Thrombolytic Therapy Medication or Procedures" ThrombolyticTherapy

Such that

Coalesce(ThrombolyticTherapy.effective as dateTime,

ThrombolyticTherapy.performed as dateTime)

24 hours or less before start of


Global."HospitalizationWithObservation"(IschemicStrokeEncounter)

FHIR Quality Measure Ecosystem:

	Through 2018 Reporting Period	Starting 2019 Reporting Period	Proposed Future State
Reporting	QRDA Category I & III	QRDA Category I & III	QI-Core / DEQM
Data Model	Quality Data Model (QDM)	QDM	QUICK / QI-Core
Measure Logic	QDM	Clinical Quality Language (CQL)	CQL
Measure Structure	Health Quality Measure Format (HQMF)	HQMF	FHIR Quality Measure IG
Programs	CMS Implementation Guide (QRDA)	CMS Implementation Guide (QRDA)	CMS Implementation Guide (FHIR)
Transport	N/A	N/A	DEQM

Interactive Session:

Go to **www.menti.com** and use the code **25 00 61**




1

Grab your phone

www.menti.com

2


Go to **www.menti.com**



3


Enter the code **25 00 61** and vote!

Regarding eCQMs:




55


My EHR currently uses the following FHIR version:



My practice /organization will upgrade to FHIR R4 and US Core STU 3 (choose 1 answer)




What communication avenues do you rely on to stay up to date on FHIR activities?




50

List the most challenging kinds of data to find (i.e., requiring additional entry to support the eCQMs)



My practice maps terminology (e.g., local terms to SNOMED) as follows:



Considering possible eCQM-related burden, rank all 5 of the following (1 = most burden, 5 = least burden):



Re-entering existing data: What types of data are problematic and why are these challenging?

Intent

Pathology

Everything non-billing. All coded data used for measurement is a total afterthought. Negation is especially unrealistic.

there is little uniformity in practice mapping clinical actions and clinical data between different health care orgs and EHRs..... A lot of clinical activities and patient care is also difficult to codify....

International dates (USA vs UK) and more.

Unstructured to structured

NA

Older hl7 put required data in anywhere

Non standard source data

NA

Less granular to more granular

EHR data mapping to standards: Describe why this activity is burdensome

N/A

Collection burden

NA

It requires deep ontology expertise (staff don't understand it), there's no direct financial benefit, so it's not funded, vendors exploit this for \$, there's a general disbelief in the benefit

it has to be done manually and may not be accurate

Sometimes it's not clear where to map the EHR data to the QRDA

Standards suggests a standard - why are there different combinations?

Standards often Lack appropriate clinical detail

Interoperability barriers; not a one stop shop for all.

PSV

Frequently requires clinical input which is expensive or hard to get for an IT team

Skill set of vendors is variable

Unstructured data often can't be mapped without omitting some content



Terminology and value set mapping: Describe why this activity is burdensome

Perhaps vsac can be the only necessary authority

NA

It requires deep ontological expertise, constant upkeep, and licensing \$ (CPT, etc. are extremely expensive). Typically, it's not deemed as mission critical for actual hospital/practice operation.

again - inaccurate and manual

Searching for the correct Terminology and finding or creating the value set.

Mapping local code to value set

Taking unstructured content to coded is often cumbersome

na

na

na

Valid reasons for actions not taken - What is your current method and why is it burdensome?

X	NA	It's changing.
Again, limit expertise, time, and money. Vendors are exploiting the situation for \$, and the organizations like AMA and NCQA are particularly troubling in their exploitation for \$.	well, theres a lot of measure developers on this call - I don't know	It is difficult to learn and map the Negation Indicators
You have a data transfer - it should not be rocket science - if you send abc123 you do not expect to receive xyz321, and then have to manipulate it.	X	na

Other: Describe burdens you experience due to eCQMs

X

clinician time to enter

Learning curve and changes from draft to publish

Cost, expertise, and limited buy-in relative to value. I want to specifically call out NCQA's very troubling approach to now licensing the algorithm and value sets. It's criminal.

does not apply

Validating data prior to submission

NCQA eCQM certification

Clinician time to enter

Results within OBXbox segment

na

Imaging result data capture: What imaging results are most problematic and why?

NA

N/a

results! codified interpretation that can be used for quality

All of them. There's significant technical burden and cost to store and process results. Typically we only receive billing results relative to the imaging.

Imaging results are mostly free text

na

Questions?

Floyd Eisenberg, MD MPH FACP
Senior Advisor, Standards, ESAC
floyd.eisenberg@esacinc.com

Sam Sayer
Interoperability Program Manager, MITRE
ssayer@mitre.org

