


2022 eCQM Flow
eCQM Identifier: CMS134v10


NOTE: This flow diagram represents an overview of population criteria requirements. Refer to the eCQM specification for a complete list of data elements included in this measure and required for submission.

Diabetes: Medical Attention for Nephropathy

The percentage of patients 18-75 years of age with diabetes who had a nephropathy screening test or evidence of nephropathy during the measurement period


This eCQM is a patient-based measure





2022 eCQM Flow
eCQM Identifier: CMS134v10

Diabetes: Medical Attention for Nephropathy



Sample Calculation

Performance Rate =

Numerator (a = 40 patients)

Denominator (b = 100 patients) - Denominator Exclusions (x¹ + X² = 20 patients)

$$= \frac{40}{80} = 50\%$$

eCQM Identifier: CMS134v10**eCQM Title: Diabetes: Medical Attention for Nephropathy**

NOTE: This flow diagram represents an overview of population criteria requirements. Refer to the eCQM specification for a complete list of data elements included in this measure and required for submission.

Description: The percentage of patients 18 to 75 years of age with diabetes who had a nephropathy screening test or evidence of nephropathy during the measurement period.

This eCQM is a patient-based measure.

eCQM Flow Narrative**Initial Population**

Start by identifying the Initial Population, which includes patients 18 to 75 years of age with a diagnosis of diabetes which overlaps the measurement period and an eligible encounter during the measurement period.

Denominator

The Denominator equals the Initial Population. In the sample calculation provided at the end of the eCQM flow, the Denominator is equal to 100 patients.

Denominator Exclusions

The Denominator Exclusions criteria identify a subset of the Denominator population by excluding patients who are in hospice care for any part of the measurement period, patients age 66 and older who are living long term in an institution for more than 90 consecutive days during the measurement period, patients age 66 and older with frailty and advanced illness with two outpatient encounters during the measurement period or the year prior, patients age 66 and older with frailty and advanced illness with one inpatient encounter during the measurement period or the year prior, patients age 66 with frailty and taking dementia medications during the measurement period or the year prior, and patients whose palliative care overlaps the measurement period. In the sample calculation provided at the end of the eCQM flow, the Denominator Exclusions are equal to 20 patients.

Numerator

The Numerator criteria identify a subset of the Denominator population (that did not meet the Denominator Exclusions criteria) by including patients who have an active ACE or ARB medication, or who had a screening for nephropathy during the measurement period, or who had a nephropathy diagnosis overlapping the measurement period. In the sample calculation provided at the end of the eCQM flow, the Numerator is equal to 40 patients.

Sample Calculation

A sample calculation is provided to help determine how the measure performance rate is derived. The measure performance rate is calculated by dividing the Numerator (total equals 40 patients) by the difference between the Denominator (total equals 100 patients) and the Denominator Exclusions (total equals 20 patients), which is equal to a score of 50 percent.