


2026 eCQM Flow
eCQM Identifier: CMS122v14


NOTE: This flow diagram represents an overview of population criteria requirements. **Refer to the eCQM specification for a complete list of data elements included in this measure and required for submission.**


Diabetes: Glycemic Status Assessment Greater Than 9%

Percentage of patients 18-75 years of age with diabetes who had a glycemic status assessment (hemoglobin A1c [HbA1c] or glucose management indicator [GMI]) > 9.0% during the measurement period

This eCQM is a patient-based measure







Performance Rate =

Sample Calculation

$$\frac{\text{Numerator (a = 40 patients)}}{\text{Denominator (b = 100 patients) - Denominator Exclusions (x = 20 patients)}} = \frac{40}{80} = 50 \%$$

eCQM Identifier: CMS122v14**eCQM Title: Glycemic Status Assessment Greater Than 9%**

NOTE: This flow diagram represents an overview of population criteria requirements. Refer to the eCQM specification for a complete list of data elements included in this measure and required for submission.

Description: Percentage of patients 18 to 75 years of age with diabetes who had a glycemic status assessment (hemoglobin A1c [HbA1c] or glucose management indicator [GMI]) > 9.0% during the measurement period.

This eCQM is a patient-based measure.

eCQM Flow Narrative**Initial Population**

Start by identifying the Initial Population, which includes patients 18 to 75 years of age by the end of the measurement period with an eligible encounter during measurement period and with a diagnosis of diabetes that overlaps the measurement period.

Denominator

The Denominator equals the Initial Population. In the sample calculation provided at the end of the eCQM flow, the Denominator is equal to 100 patients.

Denominator Exclusions

The Denominator Exclusions criteria identify a subset of the Denominator population by excluding patients who are in hospice care for any part of the measurement period; patients age 66 and older by the end of the measurement period who are living long term in a nursing home any time on or before the end of during the measurement period; patients age 66 and older by the end of the measurement period with an indication of frailty for any part of the measurement period who also have an advanced illness diagnosis or are taking dementia medications during the measurement period or the year prior; and patients who are receiving palliative care for any part of the measurement period. In the sample calculation provided at the end of the eCQM flow, the Denominator Exclusions are equal to 20 patients.

Numerator

The Numerator criteria identify a subset of the Denominator population (that did not meet the Denominator Exclusions criteria) by including patients whose most recent glycemic status assessment (HbA1c or GMI) test result is missing, patients whose most recent glycemic status assessment (HbA1c or GMI) test result is greater than 9 percent, or patients who did not have a glycemic status assessment (HbA1c or GMI) test performed during the measurement period. In the sample calculation provided at the end of the eCQM flow, the Numerator is equal to 40 patients.

Sample Calculation

A sample calculation is provided to help determine how the measure performance rate is derived. The measure performance rate is calculated by dividing the Numerator (total equals 40 patients) by the difference between the Denominator (total equals 100 patients) and the Denominator Exclusions (total equals 20 patients), which is equal to a score of 50 percent.