


2018 eCQM Flow
Measure Identifier: CMS90v8

Functional Status Assessments for Congestive Heart Failure

DISCLAIMER: Please Refer to the eCQM for a Complete Listing of Required Data Elements




*†Please refer to the specific section of the eCQM to identify the associated value sets for use in submitting this eCQM. Please refer to the specific section of the eCQM to identify the Definition associated with Population Criteria.

2018 eCQM Flow
Measure Identifier: CMS90v8

Functional Status Assessments for Congestive Heart Failure

DISCLAIMER: Please Refer to the eCQM for a Complete Listing of Required Data Elements



*‡Please refer to the specific section of the eCQM to identify the associated value sets for use in submitting this eCQM. Please refer to the specific section of the eCQM to identify the Definition associated with Population Criteria.

▲For a listing of appropriate Assessments please refer to the Definition and associated value sets as specific data element names have not been listed.

SAMPLE CALCULATION:

Performance Rate =

$$\frac{\text{Numerator (a= 80 patients)}}{\text{Denominator (b= 100 patients) – Denominator Exclusions (x=20 patients) – Denominator Exceptions (N/A)}} = 100.00\%$$

2019 eCQM Flows
Measure Identifier: CMS90v8
Functional Status Assessments for Congestive Heart Failure
DISCLAIMER: Please Refer to the eCQM for a Complete Listing of Required Data Elements

1. Start Initial Population
2. Check AGE:
 - a. If the AGE is greater than or equal to 18 years of age at start of measurement period equals No, do not include in Initial Population. Stop Processing.
 - b. If the AGE is greater than or equal to 18 years of age at start of measurement period equals Yes, proceed to check Diagnosis: HEART FAILURE.
3. Check Diagnosis: HEART FAILURE:
 - a. If the Diagnosis: HEART FAILURE overlaps measurement period equals Yes, proceed to check Qualifying Encounter.
 - b. If the Diagnosis: HEART FAILURE overlaps measurement period equals No, do not include in Initial Population. Stop Processing.
4. Check Qualifying Encounter:
 - a. If the Qualifying Encounter: OFFICE VISIT starts greater than or equal to 30 days and less than or equal to 180 days after day of end of Initial Encounter, CHF equals Yes, include in Initial Population and proceed to Denominator.
 - b. If the Qualifying Encounter: OFFICE VISIT starts greater than or equal to 30 days and less than or equal to 180 days after day of end of Initial Encounter, CHF equals No, do not include in Initial Population. Stop Processing.
5. Start Denominator
 - a. Denominator equals the Initial Population. Denominator is represented by the Letter b in the Sample Calculation listed at the end of this document. Letter b equals 100 patients in the Sample Calculation.
6. Start Denominator Exclusions
7. Check Encounter Performed:
 - a. If the Encounter Performed: ENCOUNTER INPATIENT (Discharge Hospice: DISCHARGED TO HOME FOR HOSPICE CARE **OR** DISCHARGED TO HEALTH CARE FACILITY FOR HOSPICE CARE) ends during measurement period equals Yes, include in the Denominator Exclusion Count. Denominator Exclusion is Letter x in the Sample Calculation listed at the end of this document. Letter x equals 20 patients in the Sample Calculation.
 - b. If the Encounter Performed: ENCOUNTER INPATIENT (Discharge Hospice: DISCHARGED TO HOME FOR HOSPICE CARE **OR** DISCHARGED TO HEALTH CARE FACILITY FOR HOSPICE CARE) ends during measurement period equals No, proceed to Intervention Order.
8. Check Intervention Order:

- a. If the Intervention Order: HOSPICE CARE AMBULATORY (Hospice Order) during measurement period equals Yes, include in the Denominator Exclusion Count. Denominator Exclusion Count is Letter x in the Sample Calculation listed at the end of this document. Letter x equals 20 patients in the Sample Calculation.
 - b. If the Intervention Order: HOSPICE CARE AMBULATORY (Hospice Order) during measurement period equals No, proceed to Intervention Performed.
9. Check Intervention Performed:
 - a. If the Intervention Performed: HOSPICE CARE AMBULATORY (Hospice Performed) overlaps measurement period equals Yes, include in the Denominator Exclusion Count. Denominator Exclusion Count is Letter x in the Sample Calculation listed at the end of this document. Letter x equals 20 patients in the Sample Calculation.
 - b. If the Intervention Performed: HOSPICE CARE AMBULATORY (Hospice Performed) overlaps measurement period equals No, proceed to check Diagnosis
10. Check Diagnosis:
 - a. If the Diagnosis: SEVERE DEMENTIA overlaps measurement period equals Yes, include in Denominator Exclusion Count. Denominator Exclusion Count is represented by Letter x in the Sample Calculation listed at the end of this document. Letter x equals 20 patients in the Sample Calculation.
 - b. If the Diagnosis: SEVERE DEMENTIA overlaps measurement period equals No, proceed to Numerator.
11. Start Numerator
12. Check Complete Assessment Performed:
 - a. If the Complete Assessment Performed: Heart Failure Functional Status Assessment (Result is not Null) less than or equal to 14 days on or before day of end of Initial Encounter: CHF equals No, include in Numerator Count. Numerator Count is represented by Letter a in the Sample Calculation listed at the end of this document. Letter a equals 80 patients in the Sample Calculation.
 - b. If the Complete Assessment Performed: Heart Failure Functional Status Assessment (Result is not Null) less than or equal to 14 days on or before day of end of Initial Encounter: CHF equals Yes, proceed to Complete Assessment Performed.
13. Check Complete Assessment Performed:
 - a. If the Complete Assessment Performed: Follow-Up Heart Failure Functional Status Assessment (Result is not Null) greater than or equal to 30 Days and less than or equal to 180 days after day of Assessment Performed: Initial Heart Failure Functional Status Assessment equals No, include in the No/Missing Numerator Data Submitted. Stop Processing.
 - b. If the Complete Assessment Performed: Follow-Up Heart Failure Functional Status Assessment (Result is not Null) greater than or equal to 30 Days and less than or equal to 180 days after day of Assessment Performed: Initial Heart Failure Functional Status Assessment equals Yes, include in Numerator Count. Numerator Count is represented by Letter a in the Sample Calculation listed at the end of this document. Letter a equals 80 patients in the Sample Calculation.

SAMPLE CALCULATION:

Performance Rate =

$$\frac{\text{Numerator (a = 80 patients)}}{\text{Denominator (b=100 patients) - Denominator Exclusions (x=20 patients) - Denominator Exceptions (N/A)}} = 100.00\%$$