


2019 eCQM Flow
Measure Identifier: CMS74v8


Primary Caries Prevention Intervention as Offered by Primary Care Providers, Including Dentists
DISCLAIMER: Please Refer to the eCQM for a Complete Listing of Required Data Elements



*/†Please refer to the specific section of the eCQM to identify the associated value sets for use in submitting this eCQM. Please refer to the specific section of the eCQM to identify the Definition associated with Population Criteria.
 ▲ For a listing of appropriate Encounters please refer to the Definition for the data element to view the associated value set names.

2019 eCQM Flow Measure Identifier: CMS74v8

Primary Caries Prevention Intervention as Offered by Primary Care Providers, Including Dentists
DISCLAIMER: Please Refer to the eCQM for a Complete Listing of Required Data Elements



*†Please refer to the specific section of the eCQM to identify the associated value sets for use in submitting this eCQM. Please refer to the specific section of the eCQM to identify the Definition associated with Population Criteria.

SAMPLE CALCULATION with Stratification

Performance Rate =

$$\frac{\text{Numerator (a}^1\text{=60 patients)}}{\text{Denominator (b=100 patients) – Denominator Exclusions (x=20 Patients) – Denominator Exceptions (N/A)}} = 75.00\%$$

Stratification 1 =

$$\frac{\text{Numerator (a}^2\text{=30 patients)}}{\text{Denominator (b=100 patients) – Denominator Exclusions (x=20 Patients) – Denominator Exceptions (N/A)}} = 37.50\%$$

Stratification 2 =

$$\frac{\text{Numerator (a}^3\text{=20 patients)}}{\text{Denominator (b=100 patients) – Denominator Exclusions (x=20 Patients) – Denominator Exceptions (N/A)}} = 25.00\%$$

Stratification 3 =

$$\frac{\text{Numerator (a}^4\text{=10 patient)}}{\text{Denominator (b=100 patients) – Denominator Exclusions (x=20 Patients) – Denominator Exceptions (N/A)}} = 12.50\%$$

2019 eCQM Flows
Measure Identifier: CMS74v8
Primary Caries Prevention Intervention as Offered by Primary Care Providers, Including Dentists
DISCLAIMER: Please Refer to the eCQM for a Complete Listing of Required Data Elements

1. Start Initial Population
2. Check AGE:
 - a. If the AGE is less than 20 years at start of measurement period equals No, do not include in Initial Population. Stop Processing.
 - b. If the AGE is less than 20 years at start of measurement period equals Yes, proceed to check Qualifying Encounters: ENCOUNTER PERFORMED.
3. Check Qualifying Encounters: ENCOUNTER PERFORMED:
 - a. If the Qualifying Encounters: ENCOUNTER PERFORMED during measurement period equals No, do not include in Initial Population. Stop processing.
 - b. If the Qualifying Encounters: ENCOUNTER PERFORMED during measurement period equals Yes, include in the Initial Population. Proceed to Denominator.
4. Start Denominator
 - a. Denominator equals the Initial Patient Population. Denominator is represented by the Letter b in the Sample Calculation listed at the end of this document. Letter b equals 100 patients in the Sample Calculation.
5. Start Denominator Exclusions
6. Check Encounter Performed:
 - a. If the Encounter Performed: ENCOUNTER INPATIENT (Discharge Hospice: DISCHARGED TO HOME FOR HOSPICE CARE **OR** DISCHARGED TO HEALTH CARE FACILITY FOR HOSPICE CARE) ends during measurement period equals Yes, include in the Denominator Exclusion Count. Denominator Exclusion is Letter x in the Sample Calculation listed at the end of this document. Letter x equals 20 patients in the Sample Calculation.
 - b. If the Encounter Performed: ENCOUNTER INPATIENT (Discharge Hospice: DISCHARGED TO HOME FOR HOSPICE CARE **OR** DISCHARGED TO HEALTH CARE FACILITY FOR HOSPICE CARE) ends during measurement period equals No, proceed to check Intervention Order.
7. Check Intervention Order:
 - a. If the Intervention Order: HOSPICE CARE AMBULATORY (Hospice Order) during measurement period equals Yes, include in the Denominator Exclusion Count. Denominator Exclusion Count is Letter x in the Sample Calculation listed at the end of this document. Letter x equals 20 patients in the Sample Calculation.
 - b. If the Intervention Order: HOSPICE CARE AMBULATORY (Hospice Order) during measurement period equals No, proceed to check Intervention Performed.

8. Check Intervention Performed:
 - a. If the Intervention Performed: HOSPICE CARE AMBULATORY (Hospice Performed) overlaps measurement period equals Yes, include in the Denominator Exclusion Count. Denominator Exclusion Count is Letter x in the Sample Calculation listed at the end of this document. Letter x equals 20 patients in the Sample Calculation.
 - b. If the Intervention Performed: HOSPICE CARE AMBULATORY (Hospice Performed) overlaps measurement period equals No, proceed to Numerator.
9. Start Numerator
10. Check Procedure Performed:
 - a. If the Procedure Performed: FLUORIDE VARNISH APPLICATION FOR CHILDREN during measurement period equals Yes, include in Numerator Count. Numerator Count is represented by the Letter a¹ in the Sample Calculation listed at the end of this document. Letter a¹ equals 60 patients in the Sample Calculation. Proceed to check Stratification 1.
 - b. If the Procedure Performed: FLUORIDE VARNISH APPLICATION FOR CHILDREN during measurement period equals No, include in No/Missing Numerator Data Submitted. Stop processing.
11. Stratification 1
 - a. If the AGE is less than or equal to 4 years at start of measurement period equals Yes, include in Numerator Count. Numerator Count is represented by letter a² in the Sample Calculation listed at the end of this document. Letter a² equals 30 patients in the Sample Calculation.
 - b. If the AGE is less than or equal to 4 years at start of measurement period equals No, proceed to check Stratification 2.
12. Stratification 2
 - a. If the AGE is greater than or equal to 5 **AND** less than or equal to 11 years at start of measurement period equals Yes, include in Numerator Count. Numerator Count is represented by letter a³ in the Sample Calculation listed at the end of this document. Letter a³ equals 20 patients in the Sample Calculation.
 - b. If the AGE is greater than or equal to 5 **AND** less than or equal to 11 years at start of measurement period equals No, proceed to check Stratification 3.
13. Stratification 3
 - a. If the AGE is greater than or equal to 12 **AND** less than 20 years at start of measurement period equals Yes, include in Numerator Count. Numerator Count is represented by letter a⁴ in the Sample Calculation listed at the end of this document. Letter a⁴ equals 10 patients in the Sample Calculation.
 - b. If the AGE is greater than or equal to 12 **AND** less than 20 years at start of measurement period equals No, Stop Processing.

SAMPLE CALCULATION with Stratification

Performance Rate =

$$\frac{\text{Numerator (a}^1\text{=60 patients)}}{\text{Denominator (b=100 patients) - Denominator Exclusions (x=20 Patients) - Denominator Exceptions (N/A)}} = 75.00\%$$

Stratification 1 =

$$\frac{\text{Numerator (a}^2\text{=30 patients)}}{\text{Denominator (b=100 patients) - Denominator Exclusions (x=20 Patients) - Denominator Exceptions (N/A)}} = 37.50\%$$

Stratification 2 =

$$\frac{\text{Numerator (a}^3\text{=20 patients)}}{\text{Denominator (b=100 patients) - Denominator Exclusions (x=20 Patients) - Denominator Exceptions (N/A)}} = 25.00\%$$

Stratification 3 =

$$\frac{\text{Numerator (a}^4\text{=10 patient)}}{\text{Denominator (b=100 patients) - Denominator Exclusions (x=20 Patients) - Denominator Exceptions (N/A)}} = 12.50\%$$